

WHO Global alcohol Action Plan 2022–2030 to Strengthen Implementation of the Global Strategy to Reduce the Harmful Use of Alcohol—First Draft. [(accessed on 18 November 2022)]. Available online: <https://www.who.int/publications/m/item/global-action-plan-on-alcohol-1st-draft>

Giacosa A., Barale R., Bavaresco L., Faliva M.A., Gerbi V., La Vecchia C., Negri E., Opizzi A., Perna S., Pezzotti M., et al. Mediterranean Way of Drinking and Longevity. *Crit. Rev. Food Sci. Nutr.* 2016;56:635–640. doi: 10.1080/10408398.2012.747484. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Egger M., Dickersin K., Smith G.D. *Systematic Reviews in Health Care*. BMJ Publishing Group; London, UK: 2008. Problems and Limitations in Conducting Systematic Reviews; pp. 43–68. [[Google Scholar](#)]

Castellarin S.D., Bavaresco L., Falginella L., Van Zeller Gonçalves M.I., Di Gaspero G. Phenolics in Grape Berry and Key Antioxidants. In: Gerós H., Chavez M.M., Delrot S., editors. *The Biochemistry of the Grape Berry*. Bentham Science; Sharjah, United Arab Emirates: 2012. pp. 89–110. Bentham e Books. [[Google Scholar](#)]

Gómez-Plaza E., Gil-Muñoz R. Biochemistry of Wine and Beer. *Biomolecules*. 2021;11:59. doi: 10.3390/biom11010059. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Lucini L., Baccolo G., Roupheal Y., Colla G., Bavaresco L., Trevisan M. Chitosan treatment elicited defence mechanisms, pentacyclic triterpenoids and stilbene accumulation in grape (*Vitis vinifera* L.) bunches. *Phytochemistry*. 2018;156:1–8. doi: 10.1016/j.phytochem.2018.08.011. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Alonso R., Berli F.J., Fontana A., Piccoli P., Bottini R. Abscisic Acid's Role in the Modulation of Compounds that Contribute to Wine Quality. *Plants*. 2021;10:938. doi: 10.3390/plants10050938. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Campayo A., Serrano de la Hoz K., García-Martínez M.M., Salinas M.R., Alonso G.L. Spraying Ozonated Water on Bobal Grapevines: Effect on Wine Quality. *Biomolecules*. 2020;10:213. doi: 10.3390/biom10020213. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Paladines-Quezada D.F., Moreno-Olivares J.D., Fernández-Fernández J.I., Bleda-Sánchez J.A., Martínez-Moreno A., Gil-Muñoz R. Elicitors and Pre-Fermentative Cold Maceration: Effects on Polyphenol Concentration in Monastrell Grapes and Wines. *Biomolecules*. 2019;9:671. doi: 10.3390/biom9110671. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Erte E., Vural N., Mehmetoğlu Ü., Güvenç A. Optimization of an abiotic elicitor (ultrasound) treatment conditions on trans-resveratrol production from Kalecik

Karası J. *Food Sci. Technol.* 2021;58:2121–2132. doi: 10.1007/s13197-020-04722-w. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Bavaresco L., Mattivi F., De Rosso M., Flamini R. Effects of elicitors, viticultural factors, and enological practices on resveratrol and stilbenes in grapevine and wine. *Mini Rev. Med. Chem.* 2012;12:1366–1381. doi: 10.2174/13895575112091366. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Lubin B.R., Inbar N., Pinkus A., Stanevsky M., Cohen J., Rahimi O., Anker Y., Shoseyov O., Drori E. Ecogeographic conditions dramatically affect trans-resveratrol and other major phenolics' levels in wine at a semi-arid area. *Plants.* 2022;11:629. doi: 10.3390/plants11050629. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Gatto P., Vrhovsek U., Muth J., Segala C., Romualdi C., Fontana P., Pruefer D., Stefanini M., Moser C., Mattivi F., et al. Ripening and genotype control stilbene accumulation in healthy grapes. *J. Agric. Food Chem.* 2008;56:11773–11785. doi: 10.1021/jf8017707. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Keskin N., Kunter B., Çelik H. Clonal *trans*-resveratrol potential in the ripened grapes of *Vitis vinifera* L. cv. «Kalecik Karasi» *Erwerbs-Obstbau.* 2020;62:581–585. doi: 10.1007/s10341-020-00500-2. [[CrossRef](#)] [[Google Scholar](#)]

Gutiérrez-Gamboa G., Pszczółkowski P., Cañon P., Taquichiri M., Peñarrieta J.M. UV-B radiation as a factor that deserves further research in Bolivian viticulture: A review. *S. Afr. J. Enol. Vitic.* 2021;42:201–212. doi: 10.21548/42-2-4706. [[CrossRef](#)] [[Google Scholar](#)]

Martins V., Billet K., Garcia A., Lanoue A., Gerós H. Exogenous calcium deflects grape berry metabolism towards the production of more stilbenoids and less anthocyanins. *Food Chem.* 2020;313:126123. doi: 10.1016/j.foodchem.2019.126123. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Moreno D., Alarcón M.V., Uriarte D., Mancha L.A., Valdés M.E. Vine Irrigation through Two Shoot Densities in Flavonoid and Non-Flavonoid Compounds in 'Tempranillo' Grapes. *Plants.* 2022;11:1378. doi: 10.3390/plants11101378. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Vrhovsek U., Wendelin S., Eder R. Effects of various vinification techniques on the concentration of cis- and trans-resveratrol and resveratrol glucoside isomers in wine. *Am. J. Enol. Vitic.* 1997;48:214–219. doi: 10.5344/ajev.1997.48.2.214. [[CrossRef](#)] [[Google Scholar](#)]

Rompkovksi C., Agustini B.C., Deffert F., Stadtlober M.G.A., Brand D., da Silva G.A., Bonfim T.M.B. Microbial dynamics in industrial-scale wine fermentation employing. *J. Food Sci. Technol.* 2022;59:1570–1576. doi: 10.1007/s13197-021-05168-4. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Pezet R., Cuenat P. Resveratrol in wine: Extraction from skin during fermentation and post fermentation standing of must from Gamay grapes. *Am. J. Enol. Vitic.* 2006;47:287–290. [[Google Scholar](#)]

Gambutì A., Strollo D., Ugliano M., Lecce L., Moio L. trans-Resveratrol, quercetin, (+)-catechin, and (-)-epicatechin content in south Italian monovarietal wines: Relationship with maceration time and marc pressing during winemaking. *J. Agric. Food Chem.* 2004;52:5747–5751. doi: 10.1021/jf0354895. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Threlfall R.T., Morris J.R., Mauromoustakos A. Effect of variety, ultraviolet light exposure, and enological methods on the trans-resveratrol level of wine. *Am. J. Enol. Vitic.* 1999;50:57–64. doi: 10.5344/ajev.1999.50.1.57. [[CrossRef](#)] [[Google Scholar](#)]

Jeandet P., Bessis R., Sbaghi M., Meunier P., Trollat P. Resveratrol content of wines of different ages: Relationship with fungal disease pressure in the vineyard. *Am. J. Enol. Vitic.* 1995;46:1–4. [[Google Scholar](#)]

Roldán A., Palacios V., Caro I., Pérez L. Evolution of resveratrol and piceid contents during the industrial winemaking process of sherry wine. *J. Agric. Food Chem.* 2010;58:4268–4273. doi: 10.1021/jf9038666. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Naiker M., Anderson S., Johnson J.B., Mani J.S., Eakening L., Bowry V. Loss of trans-resveratrol during storage and ageing of red wines. *Aust. J. Grape Wine Res.* 2020;26:385–387. doi: 10.1111/ajgw.12449. [[CrossRef](#)] [[Google Scholar](#)]

Cantos E., Espín J.C., Fernández M.J., Oliva J., Tomás-Barberán F.A. Postharvest UV-C-irradiated grapes as a potential source for producing stilbene-enriched red wines. *J. Agric. Food Chem.* 2003;51:1208–1214. doi: 10.1021/jf020939z. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Kilmartin P.A., Oberholster A. *Managing Wine Quality*. 2nd ed. Elsevier; Amsterdam, The Netherlands: 2022. Grape harvesting and effects on wine composition; pp. 705–726. [[Google Scholar](#)]

Mansour G., Ghanem C., Mercenaro L., Nassif N., Hassoun G., Del Caro A. Effects of altitude on the chemical composition of grapes and wine: A review. *OENO One*. 2022;56:227–239. doi: 10.20870/oenone.2022.56.1.4895. [[CrossRef](#)] [[Google Scholar](#)]

Reynolds A.G. *Managing Wine Quality*. 2nd ed. Elsevier; Amsterdam, The Netherlands: 2022. Viticultural and vineyard management practices and their effects on grape and wine quality; pp. 443–539. [[Google Scholar](#)]

Weaver S.R., Rendeiro C., McGettrick H.M., Philp A., Lucas S.J.E. Fine wine or sour grapes? A systematic review and meta-analysis of the impact of red wine

polyphenols on vascular health. *Eur. J. Nutr.* 2021;60:1–28. doi: 10.1007/s00394-020-02247-8. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Visioli F., Panaite S.A., Tomé-Carneiro J. Wine's Phenolic Compounds and Health: A Pythagorean View. *Molecules.* 2020;25:4105. doi: 10.3390/molecules25184105. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Santos-Buelga C., González-Manzano S., González-Paramás A.M. *White Wine Technology.* Elsevier; Amsterdam, The Netherlands: 2022. White wine polyphenols and health. [[Google Scholar](#)]

Albu C., Radu L.E., Radu G.L. Assessment of Melatonin and Its Precursors Content by a HPLC-MS/MS Method from Different Romanian Wines. *ACS Omega.* 2020;5:27254–27260. doi: 10.1021/acsomega.0c03463. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Viegas O., Esteves C., Rocha J., Melo A., Ferreira I.M.P.L. Simultaneous determination of melatonin and trans-resveratrol in wine by dispersive liquid-liquid microextraction followed by HPLC-FLD. *Food Chem.* 2021;339:128091. doi: 10.1016/j.foodchem.2020.128091. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Mercolini L., Saracino M.A., Bugamelli F., Ferranti A., Malaguti M., Hrelia S., Raggi M.A. HPLC-F analysis of melatonin and resveratrol isomers in wine using an SPE procedure. *J. Sep. Sci.* 2008;31:1007–1014. doi: 10.1002/jssc.200700458. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Minzer S., Estruch R., Casas R. Wine Intake in the Framework of a Mediterranean Diet and Chronic Non-Communicable Diseases: A Short Literature Review of the Last 5 Years. *Molecules.* 2020;25:5045. doi: 10.3390/molecules25215045. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Forman H.J., Davies K.J., Ursini F. How do nutritional antioxidants really work: Nucleophilic tone and para-hormesis versus free radical scavenging in vivo. *Free Radic. Biol. Med.* 2014;66:24–35. doi: 10.1016/j.freeradbiomed.2013.05.045. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

González-Domínguez R., Jáuregui O., Mena P., Hanhineva K., Tinahones F.J., Angelino D., Andrés-Lacueva C. Quantifying the human diet in the crosstalk between nutrition and health by multi-targeted metabolomics of food and microbiota-derived metabolites. *Int. J. Obes.* 2020;44:2372–2381. doi: 10.1038/s41366-020-0628-1. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Gorelik S., Ligumsky M., Kohen R., Kanner J. The stomach as a “bioreactor”: When red meat meets red wine. *J. Agric. Food Chem.* 2008;56:5002–5007. doi: 10.1021/jf703700d. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Timmers P.R.H.J., Wilson J.F., Joshi P.K., Deelen J. Multivariate genomic scan implicates novel loci and haem metabolism in human ageing. *Nat. Commun.* 2020;11:3570. doi: 10.1038/s41467-020-17312-3. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Zhou J., Zheng Q., Chen Z. The Nrf2 Pathway in Liver Diseases. *Front. Cell Dev. Biol.* 2022;10:826204. doi: 10.3389/fcell.2022.826204. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Malaguti M., Angeloni C., Hrelia S. Nutraceutical Bioactive Compounds Promote Healthspan Counteracting Cardiovascular Diseases. *J. Am. Coll. Nutr.* 2015;34((Suppl. S1)):22–27. doi: 10.1080/07315724.2015.1080107. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Hrelia P., Sita G., Ziche M., Ristori E., Marino A., Cordaro M., Molteni R., Spero V., Malaguti M., Morroni F., et al. Common Protective Strategies in Neurodegenerative Disease: Focusing on Risk Factors to Target the Cellular Redox System. *Oxid. Med. Cell Longev.* 2020;2020:8363245. doi: 10.1155/2020/8363245. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Xu J., Yang Y., Liu Y., Cao S. Natural Nrf2 Activators from Juices, Wines, Coffee, and Cocoa. *Beverages.* 2020;6:68. doi: 10.3390/beverages6040068. [[CrossRef](#)] [[Google Scholar](#)]

Smith R.E., Tran K., Smith C.C., McDonald M., Shejwalkar P., Hara K. The Role of the Nrf2/ARE Antioxidant System in Preventing Cardiovascular Diseases. *Diseases.* 2016;4:34. doi: 10.3390/diseases4040034. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Haunschild R., Marx W. On Health Effects of Resveratrol in Wine. *Int. J. Environ. Res. Public Health.* 2022;19:3110. doi: 10.3390/ijerph19053110. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Harikumar K.B., Aggarwal B.B. Resveratrol: A multitargeted agent for age-associated chronic diseases. *Cell Cycle.* 2008;7:1020–1035. doi: 10.4161/cc.7.8.5740. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Meng X., Zhou J., Zhao C.N., Gan R.Y., Li H.B. Health Benefits and Molecular Mechanisms of Resveratrol: A Narrative Review. *Foods.* 2020;9:340. doi: 10.3390/foods9030340. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Vang O., Ahmad N., Baile C.A., Baur J.A., Brown K., Csiszar A., Das D.K., Delmas D., Gottfried C., Lin H.Y., et al. What is new for an old molecule? Systematic review and recommendations on the use of resveratrol. *PLoS ONE.* 2011;6:e19881. doi: 10.1371/journal.pone.0019881. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Athar M., Back J.H., Kopelovich L., Bickers D.R., Kim A.L. Multiple molecular targets of resveratrol: Anti-carcinogenic mechanisms. *Arch. Biochem. Biophys.* 2009;486:95–102. doi: 10.1016/j.abb.2009.01.018. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Beaumont P., Courtois A., Atgié C., Richard T., Krisa S. In the shadow of resveratrol: Biological activities of epsilon-viniferin. *J. Physiol. Biochem.* 2022;78:465–484. doi: 10.1007/s13105-022-00880-x. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Guerrero R.F., Valls-Fonayet J., Richard T., Cantos-Villara E. A rapid quantification of stilbene content in wine by ultra-high pressure liquid chromatography—Mass spectrometry. *Food Control.* 2020;108:106821. doi: 10.1016/j.foodcont.2019.106821. [[CrossRef](#)] [[Google Scholar](#)]

Lee J.H., Kim Y.G., Ryu S.Y., Cho M.H., Lee J. Resveratrol oligomers inhibit biofilm formation of *Escherichia coli* O157:H7 and *Pseudomonas aeruginosa*. *J. Nat. Prod.* 2014;77:168–172. doi: 10.1021/np400756g. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Vitaglione P., Sforza S., Galaverna G., Ghidini C., Caporaso N., Vescovi P.P., Fogliano V., Marchelli R. Bioavailability of trans-resveratrol from red wine in humans. *Mol. Nutr. Food Res.* 2005;49:495–504. doi: 10.1002/mnfr.200500002. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Walle T., Hsieh F., DeLegge M.H., Oatis J.E., Walle U.K. High absorption but very low bioavailability of oral resveratrol in humans. *Drug. Metab. Dispos.* 2004;32:1377–1382. doi: 10.1124/dmd.104.000885. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Goldberg D.M., Yan J., Soleas G.J. Absorption of three wine-related polyphenols in three different matrices by healthy subjects. *Clin. Biochem.* 2003;36:79–87. doi: 10.1016/S0009-9120(02)00397-1. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Cappetta D., Esposito G., Piegari E., Russo R., Ciuffreda L.P., Rivellino A., Berrino L., Rossi F., De Angelis A., Urbanek K. SIRT1 activation attenuates diastolic dysfunction by reducing cardiac fibrosis in a model of anthracycline cardiomyopathy. *Int. J. Cardiol.* 2016;205:99–110. doi: 10.1016/j.ijcard.2015.12.008. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Liu Z.H., Zhang Y., Wang X., Fan X.F., Li X., Gong Y.S., Han L.P. SIRT1 activation attenuates cardiac fibrosis by endothelial-to-mesenchymal transition. *Biomed. Pharmacother.* 2019;118:109227. doi: 10.1016/j.biopha.2019.109227. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Quideau S., Deffieux D., Douat-Casassus C., Pouységu L. Plant polyphenols: Chemical properties, biological activities, and synthesis. *Angew. Chem. Int. Ed. Engl.* 2011;50:586–621. doi: 10.1002/anie.201000044. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Ji S.B., Park S.Y., Bae S., Seo H.J., Kim S.E., Lee G.M., Wu Z., Liu K.H. Comprehensive Investigation of Stereoselective Food Drug Interaction Potential of Resveratrol on Nine P450 and Six UGT Isoforms in Human Liver Microsomes. *Pharmaceutics*. 2021;13:1419.

doi: 10.3390/pharmaceutics13091419. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Parodi-Rullán R.M., Chapa-Dubocq X.R., Javadov S. Acetylation of Mitochondrial Proteins in the Heart: The Role of SIRT3. *Front. Physiol.* 2018;9:1094.

doi: 10.3389/fphys.2018.01094. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Kampoli A.M., Tousoulis D., Papageorgiou N., Antoniadis C., Androulakis E., Tsiamis E., Latsios G., Stefanadis C. Matrix metalloproteinases in acute coronary syndromes: Current perspectives. *Curr. Top. Med. Chem.* 2012;12:1192–1205.

doi: 10.2174/1568026611208011192. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Li H., Xia N., Förstermann U. Cardiovascular effects and molecular targets of resveratrol. *Nitric Oxide*. 2012;26:102–110.

doi: 10.1016/j.niox.2011.12.006. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Ceni E., Mello T., Galli A. Pathogenesis of alcoholic liver disease: Role of oxidative metabolism. *World J. Gastroenterol.* 2014;20:17756–17772.

doi: 10.3748/wjg.v20.i47.17756. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Lind P.A., Eriksson C.J., Wilhelmsen K.C. The role of aldehyde dehydrogenase-1 (ALDH1A1) polymorphisms in harmful alcohol consumption in a Finnish population. *Hum. Genom.* 2008;3:24–35. doi: 10.1186/1479-7364-3-1-24. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Vasiliou V., Nebert D.W. Analysis and update of the human aldehyde dehydrogenase (ALDH) gene family. *Hum. Genom.* 2005;2:138–143. doi: 10.1186/1479-7364-2-2-138. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Liu Y., Myojin T., Li K., Kurita A., Seto M., Motoyama A., Liu X., Satoh A., Munemasa S., Murata Y., et al. A Major Intestinal Catabolite of Quercetin Glycosides, 3-Hydroxyphenylacetic Acid, Protects the Hepatocytes from the Acetaldehyde-Induced Cytotoxicity through the Enhancement of the Total Aldehyde Dehydrogenase Activity. *Int. J. Mol. Sci.* 2022;23:1762.

doi: 10.3390/ijms23031762. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Moskaug J., Carlsen H., Myhrstad M.C., Blomhoff R. Polyphenols and glutathione synthesis regulation. *Am. J. Clin. Nutr.* 2005;81:277S–283S.

doi: 10.1093/ajcn/81.1.277S. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Matsufuji Y., Yamamoto K., Yamauchi K., Mitsunaga T., Hayakawa T., Nakagawa T. Novel physiological roles for glutathione in sequestering acetaldehyde to confer acetaldehyde tolerance in *Saccharomyces cerevisiae*. *Appl. Microbiol. Biotechnol.* 2013;97:297–303. doi: 10.1007/s00253-012-4147-4. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Kay C.D., Holub B.J. The postprandial effects of dietary antioxidants in humans. *Curr. Atheroscler. Rep.* 2003;5:452–458. doi: 10.1007/s11883-003-0035-9. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Ceriello A., Taboga C., Tonutti L., Quagliario L., Piconi L., Bais B., Da Ros R., Motz E. Evidence for an independent and cumulative effect of postprandial hypertriglyceridemia and hyperglycemia on endothelial dysfunction and oxidative stress generation: Effects of short- and long-term simvastatin treatment. *Circulation.* 2002;106:1211–1218. doi: 10.1161/01.CIR.0000027569.76671.A8. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Markoski M.M., Garavaglia J., Oliveira A., Olivaes J., Marcadenti A. Molecular Properties of Red Wine Compounds and Cardiometabolic Benefits. *Nutr. Metab. Insights.* 2016;9:51–57. doi: 10.4137/NMI.S32909. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Lassaletta A.D., Chu L.M., Elmadhun N.Y., Burgess T.A., Feng J., Robich M.P., Sellke F.W. Cardioprotective effects of red wine and vodka in a model of endothelial dysfunction. *J. Surg. Res.* 2012;178:586–592. doi: 10.1016/j.jss.2012.06.009. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Garrido-Urbani S., Meguenani M., Montecucco F., Imhof B.A. Immunological aspects of atherosclerosis. *Semin. Immunopathol.* 2014;36:73–91. doi: 10.1007/s00281-013-0402-8. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Dröge W. Free radicals in the physiological control of cell function. *Physiol. Rev.* 2002;82:47–95. doi: 10.1152/physrev.00018.2001. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Di Renzo L., Di Pierro D., Bigioni M., Sodi V., Galvano F., Cianci R., La Fauci L., De Lorenzo A. Is antioxidant plasma status in humans a consequence of the antioxidant food content influence? *Eur. Rev. Med. Pharmacol. Sci.* 2007;11:185–192. [[PubMed](#)] [[Google Scholar](#)]

Rodrigo R., Bosco C., Herrera P., Rivera G. Amelioration of myoglobinuric renal damage in rats by chronic exposure to flavonol-rich red wine. *Nephrol. Dial Transplant.* 2004;19:2237–2244. doi: 10.1093/ndt/gfh369. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Ohashi M., Runge M.S., Faraci F.M., Heistad D.D. MnSOD deficiency increases endothelial dysfunction in ApoE-deficient mice. *Arterioscler. Thromb. Vasc.*

Biol. 2006;26:2331–2336. doi: 10.1161/01.ATV.0000238347.77590.c9. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Di Renzo L., Cioccoloni G., Sinibaldi Salimei P., Ceravolo I., De Lorenzo A., Gratteri S. Alcoholic Beverage and Meal Choices for the Prevention of Noncommunicable Diseases: A Randomized Nutrigenomic Trial. *Oxid. Med. Cell. Longev.* 2018;2018:5461436. doi: 10.1155/2018/5461436. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Ballinger S.W., Patterson C., Knight-Lozano C.A., Burow D.L., Conklin C.A., Hu Z., Reuf J., Horaist C., Lebovitz R., Hunter G.C., et al. Mitochondrial integrity and function in atherogenesis. *Circulation.* 2002;106:544–549. doi: 10.1161/01.CIR.0000023921.93743.89. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Kasdallah-Grissa A., Mornagui B., Aouani E., Hammami M., El May M., Gharbi N., Kamoun A., El-Fazaâ S. Resveratrol, a red wine polyphenol, attenuates ethanol-induced oxidative stress in rat liver. *Life Sci.* 2007;80:1033–1039. doi: 10.1016/j.lfs.2006.11.044. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Werner T. Cluster analysis and promoter modelling as bioinformatics tools for the identification of target genes from expression array data. *Pharmacogenomics.* 2001;2:25–36. doi: 10.1517/14622416.2.1.25. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Yamamoto H., Schoonjans K., Auwerx J. Sirtuin functions in health and disease. *Mol. Endocrinol.* 2007;21:1745–1755. doi: 10.1210/me.2007-0079. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Wang F., Nguyen M., Qin F.X., Tong Q. SIRT2 deacetylates FOXO3a in response to oxidative stress and caloric restriction. *Aging Cell.* 2007;6:505–514. doi: 10.1111/j.1474-9726.2007.00304.x. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Di Renzo L., Carraro A., Valente R., Iacopino L., Colica C., De Lorenzo A. Intake of red wine in different meals modulates oxidized LDL level, oxidative and inflammatory gene expression in healthy people: A randomized crossover trial. *Oxid. Med. Cell. Longev.* 2014;2014:681318. doi: 10.1155/2014/681318. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Kim M.J., Kim D.W., Park J.H., Kim S.J., Lee C.H., Yong J.I., Ryu E.J., Cho S.B., Yeo H.J., Hyeon J., et al. PEP-1-SIRT2 inhibits inflammatory response and oxidative stress-induced cell death via expression of antioxidant enzymes in murine macrophages. *Free Radic. Biol. Med.* 2013;63:432–445. doi: 10.1016/j.freeradbiomed.2013.06.005. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Zheng Y., Le V., Cheng Z., Xie S., Li H., Tian J., Liu J. Development of rapid and highly sensitive HSPA1A promoter-driven luciferase reporter system for assessing oxidative stress associated with low-dose photodynamic therapy. *Cell Stress*

Chaperones. 2013;18:203–213. doi: 10.1007/s12192-012-0374-y. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Kulkarni S.S., Cantó C. The molecular targets of resveratrol. *Biochim. Biophys. Acta*. 2015;1852:1114–1123. doi: 10.1016/j.bbadis.2014.10.005. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Mukamal K.J., Conigrave K.M., Mittleman M.A., Camargo C.A., Stampfer M.J., Willett W.C., Rimm E.B. Roles of drinking pattern and type of alcohol consumed in coronary heart disease in men. *N. Engl. J. Med.* 2003;348:109–118. doi: 10.1056/NEJMoa022095. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Waterhouse A.L. Wine phenolics. *Ann. N. Y. Acad. Sci.* 2002;957:21–36. doi: 10.1111/j.1749-6632.2002.tb02903.x. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Cordova A.C., Sumpio B.E. Polyphenols are medicine: Is it time to prescribe red wine for our patients? *Int. J. Angiol.* 2009;18:111–117. doi: 10.1055/s-0031-1278336. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Rimm E.B., Giovannucci E.L., Willett W.C., Colditz G.A., Ascherio A., Rosner B., Stampfer M.J. Prospective study of alcohol consumption and risk of coronary disease in men. *Lancet*. 1991;338:464–468. doi: 10.1016/0140-6736(91)90542-W. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Yano K., Rhoads G.G., Kagan A. Coffee, alcohol and risk of coronary heart disease among Japanese men living in Hawaii. *N. Engl. J. Med.* 1977;297:405–409. doi: 10.1056/NEJM197708252970801. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Corrao G., Rubbiati L., Bagnardi V., Zambon A., Poikolainen K. Alcohol and coronary heart disease: A meta-analysis. *Addiction*. 2000;95:1505–1523. doi: 10.1046/j.1360-0443.2000.951015056.x. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Grønbaek M., Deis A., Sørensen T.I., Becker U., Schnohr P., Jensen G. Mortality associated with moderate intakes of wine, beer, or spirits. *BMJ*. 1995;310:1165–1169. doi: 10.1136/bmj.310.6988.1165. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Stampfer M.J., Colditz G.A., Willett W.C., Speizer F.E., Hennekens C.H. A prospective study of moderate alcohol consumption and the risk of coronary disease and stroke in women. *N. Engl. J. Med.* 1988;319:267–273. doi: 10.1056/NEJM198808043190503. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Keil U., Chambless L.E., Döring A., Filipiak B., Stieber J. The relation of alcohol intake to coronary heart disease and all-cause mortality in a beer-drinking population. *Epidemiology*. 1997;8:150–156. doi: 10.1097/00001648-199703000-00005. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Grønbaek M., Becker U., Johansen D., Gottschau A., Schnohr P., Hein H.O., Jensen G., Sørensen T.I. Type of alcohol consumed and mortality from all causes, coronary heart disease, and cancer. *Ann. Intern. Med.* 2000;133:411–419. doi: 10.7326/0003-4819-133-6-200009190-00008. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Levantesi G., Marfisi R., Mozaffarian D., Franzosi M.G., Maggioni A., Nicolosi G.L., Schweiger C., Sillelta M., Tavazzi L., Tognoni G., et al. Wine consumption and risk of cardiovascular events after myocardial infarction: Results from the GISSI-Prevenzione trial. *Int. J. Cardiol.* 2013;163:282–287. doi: 10.1016/j.ijcard.2011.06.053. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Renaud S., de Lorgeril M. Wine, alcohol, platelets, and the French paradox for coronary heart disease. *Lancet.* 1992;339:1523–1526. doi: 10.1016/0140-6736(92)91277-F. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Torres A., Cachafeiro V., Millán J., Lahera V., Nieto M., Martin R., Bello E., Alvarez-Sala L., Nieto M. Red wine intake but not other alcoholic beverages increases total antioxidant capacity and improves pro-inflammatory profile after an oral fat diet in healthy volunteers. *Revista Clínica Española.* 2015;215:486–494. doi: 10.1016/j.rce.2015.07.002. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Gea A., Bes-Rastrollo M., Toledo E., Garcia-Lopez M., Beunza J.J., Estruch R., Martinez-Gonzalez M.A. Mediterranean alcohol-drinking pattern and mortality in the SUN (Seguimiento Universidad de Navarra) Project: A prospective cohort study. *Br. J. Nutr.* 2014;111:1871–1880. doi: 10.1017/S0007114513004376. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Castaldo L., Narváez A., Izzo L., Graziani G., Gaspari A., Minno G.D., Ritieni A. Red Wine Consumption and Cardiovascular Health. *Molecules.* 2019;24:3626. doi: 10.3390/molecules24193626. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Haseeb S., Alexander B., Baranchuk A. Wine and Cardiovascular Health: A Comprehensive Review. *Circulation.* 2017;136:1434–1448. doi: 10.1161/CIRCULATIONAHA.117.030387. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Baliunas D.O., Taylor B.J., Irving H., Roerecke M., Patra J., Mohapatra S., Rehm J. Alcohol as a risk factor for type 2 diabetes: A systematic review and meta-analysis. *Diabetes Care.* 2009;32:2123–2132. doi: 10.2337/dc09-0227. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Rochitte C.E., Laurindo F.R. Coronary artery plaque burden and calcium scores in healthy men adhering to long-term wine drinking or alcohol abstinence. *Braz. J. Med. Biol. Res.* 2014;47:697–705. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]

Chiva-Blanch G., Urpi-Sarda M., Ros E., Valderas-Martinez P., Casas R., Arranz S., Guillén M., Lamuela-Raventós R.M., Llorach R., Andres-Lacueva C., et al. Effects of

red wine polyphenols and alcohol on glucose metabolism and the lipid profile: A randomized clinical trial. *Clin. Nutr.* 2013;32:200–206.

doi: 10.1016/j.clnu.2012.08.022. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Qureshi S.A., Lund A.C., Veierød M.B., Carlsen M.H., Blomhoff R., Andersen L.F., Ursin G. Food items contributing most to variation in antioxidant intake; a cross-sectional study among Norwegian women. *BMC Public Health.* 2014;14:45.

doi: 10.1186/1471-2458-14-45. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Blomster J.I., Zoungas S., Chalmers J., Li Q., Chow C.K., Woodward M., Mancia G., Poulter N., Williams B., Harrap S., et al. The relationship between alcohol consumption and vascular complications and mortality in individuals with type 2 diabetes. *Diabetes Care.* 2014;37:1353–1359. doi: 10.2337/dc13-2727. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Gepner Y., Golan R., Harman-Boehm I., Henkin Y., Schwarzfuchs D., Shelef I., Durst R., Kovsan J., Bolotin A., Leitersdorf E., et al. Effects of Initiating Moderate Alcohol Intake on Cardiometabolic Risk in Adults With Type 2 Diabetes: A 2-Year Randomized, Controlled Trial. *Ann. Intern Med.* 2015;163:569–579.

doi: 10.7326/M14-1650. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Gupta S., Warner J. Alcohol-related dementia: A 21st-century silent epidemic? *Br. J. Psychiatry.* 2008;193:351–353. doi: 10.1192/bjp.bp.108.051425. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Letenneur L. Risk of dementia and alcohol and wine consumption: A review of recent results. *Biol. Res.* 2004;37:189–193. doi: 10.4067/S0716-97602004000200003. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Lucerón-Lucas-Torres M., Cavero-Redondo I., Martínez-Vizcaíno V., Saz-Lara A., Pascual-Morena C., Álvarez-Bueno C. Association Between Wine Consumption and Cognitive Decline in Older People: A Systematic Review and Meta-Analysis of Longitudinal Studies. *Front. Nutr.* 2022;9:863059.

doi: 10.3389/fnut.2022.863059. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Truelsen T., Gronbaek M., Schnohr P., Boysen G. Intake of beer, wine, and spirits and risk of stroke: The copenhagen city heart study. *Stroke.* 1998;29:2467–2472.

doi: 10.1161/01.STR.29.12.2467. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Cerhan J.R., Folsom A.R., Mortimer J.A., Shahar E., Knopman D.S., McGovern P.G., Hays M.A., Crum L.D., Heiss G. Correlates of cognitive function in middle-aged adults. Atherosclerosis Risk in Communities (ARIC) Study

Investigators. *Gerontology.* 1998;44:95–105. doi: 10.1159/000021991. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Ngandu T., Helkala E.L., Soininen H., Winblad B., Tuomilehto J., Nissinen A., Kivipelto M. Alcohol drinking and cognitive functions: Findings from the Cardiovascular Risk Factors Aging and Dementia (CAIDE) Study. *Dement. Geriatr. Cogn. Disord.* 2007;23:140–149. doi: 10.1159/000097995. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Espeland M.A., Coker L.H., Wallace R., Rapp S.R., Resnick S.M., Limacher M., Powell L.H., Messina C.R., Women's Health Initiative Study of Cognitive Aging Association between alcohol intake and domain-specific cognitive function in older women. *Neuroepidemiology.* 2006;27:1–12. doi: 10.1159/000093532. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Duffy J.C. Alcohol consumption and all-cause mortality. *Int. J. Epidemiol.* 1995;24:100–105. doi: 10.1093/ije/24.1.100. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Pinder R.M., Sandler M. Alcohol, wine and mental health: Focus on dementia and stroke. *J. Psychopharmacol.* 2004;18:449–456. doi: 10.1177/026988110401800402. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Xu G., Liu X., Yin Q., Zhu W., Zhang R., Fan X. Alcohol consumption and transition of mild cognitive impairment to dementia. *Psychiatry Clin. Neurosci.* 2009;63:43–49. doi: 10.1111/j.1440-1819.2008.01904.x. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Collins M.A., Neafsey E.J., Mukamal K.J., Gray M.O., Parks D.A., Das D.K., Korhuis R.J. Alcohol in moderation, cardioprotection, and neuroprotection: Epidemiological considerations and mechanistic studies. *Alcohol. Clin. Exp. Res.* 2009;33:206–219. doi: 10.1111/j.1530-0277.2008.00828.x. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

IARC Working Group on the Evaluation of Carcinogenic Risks to Humans: Alcohol consumption and ethyl carbamate. *IARC Monogr. Eval. Carcinog. Risks Hum.* 2010;96:3–1383. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]

The Third Expert Report: World Cancer Research Fund/American Institute for Cancer Research. Diet, Nutrition, Physical Activity and Cancer: A Global Perspective. Continuous Update Project Expert Report. [(accessed on 20 December 2022)]. Available online: Dietandcancerreport.org

Centers for Disease Control and Prevention (CDC) of United States of America: Dietary Guidelines for Alcohol. [(accessed on 20 December 2022)]; Available online: <https://www.cdc.gov/alcohol/fact-sheets/moderate-drinking.htm>

Clinton S.K., Giovannucci E.L., Hursting S.D. The World Cancer Research Fund/American Institute for Cancer Research Third Expert Report on Diet, Nutrition, Physical Activity, and Cancer: Impact and Future Directions. *J. Nutr.* 2020;150:663–671. doi: 10.1093/jn/nxz268. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

ECL Association of European Cancer League: The European Code Against Cancer. [(accessed on 20 December 2022)]. Available online: <https://www.cancer.eu/cancer-prevention-the-european-code-against-cancer/>

Scoccianti C., Cecchini M., Anderson A.S., Berrino F., Boutron-Ruault M.C., Espina C., Key T.J., Leitzmann M., Norat T., Powers H., et al. European Code against Cancer 4th Edition: Alcohol drinking and cancer. *Cancer Epidemiol.* 2016;45:181–188. doi: 10.1016/j.canep.2016.09.011. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Bradamante S., Barenghi L., Villa A. Cardiovascular protective effects of resveratrol. *Cardiovasc. Drug. Rev.* 2004;22:169–188. doi: 10.1111/j.1527-3466.2004.tb00139.x. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Aluyen J.K., Ton Q.N., Tran T., Yang A.E., Gottlieb H.B., Bellanger R.A. Resveratrol: Potential as anticancer agent. *J. Diet. Suppl.* 2012;9:45–56. doi: 10.3109/19390211.2011.650842. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Chao C., Li Q., Zhang F., White E. Alcohol consumption and risk of lung cancer in the VITamins And Lifestyle Study. *Nutr. Cancer.* 2011;63:880–888. doi: 10.1080/01635581.2011.582222. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Chao C., Haque R., Caan B.J., Poon K.Y., Tseng H.F., Quinn V.P. Red wine consumption not associated with reduced risk of colorectal cancer. *Nutr. Cancer.* 2010;62:849–855. doi: 10.1080/01635581.2010.492091. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Sutcliffe S., Giovannucci E., Leitzmann M.F., Rimm E.B., Stampfer M.J., Willett W.C., Platz E.A. A prospective cohort study of red wine consumption and risk of prostate cancer. *Int. J. Cancer.* 2007;120:1529–1535. doi: 10.1002/ijc.22498. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Di Castelnuovo A., Costanzo S., Bonaccio M., McElduff P., Linneberg A., Salomaa V., Männistö S., Moitry M., Ferrières J., Dallongeville J., et al. Alcohol intake and total mortality in 142 960 individuals from the MORGAM Project: A population-based study. *Addiction.* 2022;117:312–325. doi: 10.1111/add.15593. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Giacosa A., Barale R., Bavaresco L., Gatenby P., Gerbi V., Janssens J., Johnston B., Kas K., La Vecchia C., Mainguet P., et al. Cancer prevention in Europe: The Mediterranean diet as a protective choice. *Eur. J. Cancer Prev.* 2013;22:90–95. doi: 10.1097/CEJ.0b013e328354d2d7. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Turati F., Carioli G., Bravi F., Ferraroni M., Serraino D., Montella M., Giacosa A., Toffolutti F., Negri E., Levi F., et al. Mediterranean Diet and Breast Cancer Risk. *Nutrients.* 2018;10:326. doi: 10.3390/nu10030326. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Doll R., Peto R., Boreham J., Sutherland I. Mortality in relation to alcohol consumption: A prospective study among male British doctors. *Int. J. Epidemiol.* 2005;34:199–204. doi: 10.1093/ije/dyh369. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Jayasekara H., English D.R., Room R., MacInnis R.J. Alcohol consumption over time and risk of death: A systematic review and meta-analysis. *Am. J. Epidemiol.* 2014;179:1049–1059. doi: 10.1093/aje/kwu028. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Grønbaek M., Johansen D., Becker U., Hein H.O., Schnohr P., Jensen G., Vestbo J., Sørensen T.I. Changes in alcohol intake and mortality: A longitudinal population-based study. *Epidemiology.* 2004;15:222–228. doi: 10.1097/01.ede.0000112219.01955.56. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Mazucanti C.H., Cabral-Costa J.V., Vasconcelos A.R., Andreotti D.Z., Scavone C., Kawamoto E.M. Longevity Pathways (mTOR, SIRT, Insulin/IGF-1) as Key Modulatory Targets on Aging and Neurodegeneration. *Curr. Top. Med. Chem.* 2015;15:2116–2138. doi: 10.2174/1568026615666150610125715. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Morselli E., Maiuri M.C., Markaki M., Megalou E., Paspadaki A., Palikaras K., Criollo A., Galluzzi L., Malik S.A., Vitale I., et al. Caloric restriction and resveratrol promote longevity through the Sirtuin-1-dependent induction of autophagy. *Cell. Death Dis.* 2010;1:e10. doi: 10.1038/cddis.2009.8. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Cena H., Calder P.C. Defining a Healthy Diet: Evidence for The Role of Contemporary Dietary Patterns in Health and Disease. *Nutrients.* 2020;12:334. doi: 10.3390/nu12020334. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Ditano-Vázquez P., Torres-Peña J.D., Galeano-Valle F., Pérez-Caballero A.I., Demelo-Rodríguez P., Lopez-Miranda J., Katsiki N., Delgado-Lista J., Alvarez-Sala-Walther L.A. The Fluid Aspect of the Mediterranean Diet in the Prevention and Management of Cardiovascular Disease and Diabetes: The Role of Polyphenol Content in Moderate Consumption of Wine and Olive Oil. *Nutrients.* 2019;11:2833. doi: 10.3390/nu11112833. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Golan R., Gepner Y., Shai I. Wine and Health-New Evidence. *Eur. J. Clin. Nutr.* 2019;72:55–59. doi: 10.1038/s41430-018-0309-5. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Stockwell T., Zhao J., Panwar S., Roemer A., Naimi T., Chikritzhs T. Do “Moderate” Drinkers Have Reduced Mortality Risk? A Systematic Review and Meta-Analysis of

Alcohol Consumption and All-Cause Mortality. *J. Stud. Alcohol. Drugs.* 2016;77:185–198. doi: 10.15288/jsad.2016.77.185. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Bergmann M.M., Rehm J., Klipstein-Grobusch K., Boeing H., Schütze M., Drogan D., Overvad K., Tjønneland A., Halkjær J., Fagherazzi G., et al. The association of pattern of lifetime alcohol use and cause of death in the European prospective investigation into cancer and nutrition (EPIC) study. *Int. J. Epidemiol.* 2013;42:1772–1790. doi: 10.1093/ije/dyt154. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Collaborators G.A. Population-level risks of alcohol consumption by amount, geography, age, sex, and year: A systematic analysis for the Global Burden of Disease Study 2020. *Lancet.* 2022;400:185–235. doi: 10.1016/S0140-6736(22)00847-9. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Department of Error. *Lancet.* 2022;400:358. doi: 10.1016/S0140-6736(22)01389-7. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

WHO Alcohol. [(accessed on 20 December 2022)]. Available online: <https://www.who.int/news-room/fact-sheets/detail/alcohol>

Deluca P., Coulton S., Alam M.F., Boniface S., Cohen D., Donoghue K., Gilvarry E., Kaner E., Maconochie I., McArdle P., et al. Brief interventions to prevent excessive alcohol use in adolescents at low-risk presenting to Emergency Departments: Three-arm, randomised trial of effectiveness and cost-effectiveness. *Int. J. Drug Policy.* 2021;93:103113. doi: 10.1016/j.drugpo.2021.103113. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Ryan S.A., Kokotailo P., Committee on Substance Use and Prevention. Camenga D.R., Patrick S.W., Plumb J., Quigley J., Walker-Harding L. Alcohol Use by Youth. *Pediatrics.* 2019;144:e20191357. doi: 10.1542/peds.2019-1357. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Anderson P. The Impact of Alcoholic Beverages on Human Health. *Nutrients.* 2021;13:4417. doi: 10.3390/nu13124417. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Santos-Buelga C., González-Manzano S., González-Paramás A.M. Wine, Polyphenols, and Mediterranean Diets. What Else Is There to Say? *Molecules.* 2021;26:5537. doi: 10.3390/molecules26185537. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Tamargo A., Cueva C., Silva M., Molinero N., Miralles B., Bartolomé B., Moreno-Arribas M.V. Gastrointestinal co-digestion of wine polyphenols with glucose/whey proteins affects their bioaccessibility and impact on colonic microbiota. *Food Res. Int.* 2022;155:111010. doi: 10.1016/j.foodres.2022.111010. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]